



HESTRA PLATTA



2020







HESTRA PLATTAN - THE SPIRIT OF ERNOL LIVES ON

Our company culture is characterised and embodied by the spirit of Ernol a culture like this can be found exclusively in a family company.

Ernol's founder Göte Ericsson largely defined the company values that have been consistently expanded and optimised by the owners of successive generations.

But the greatest contribution comes from our employees and their common ambition that is based on our three fundamental corporate values:

- Joy in doing business
- · Reliability
- Curiosity

Our reliability is firmly enshrined in our values and defines the handling of our products, services, employees and even all forms of cooperation with our partners.

The key to success is in our core values. We do not guestion necessary changes, but rather ask ourselves what we can do to generate real added value. Our curiosity, our joy in doing business and our company structure create conditions for progress, efficiency and good business.

Welcome to the family!

JohannaBlude

/Johanna Bladh

CEO







30 years and more – more popular than ever before!

The unique pattern of Hestra design click tiles was designed in the 1980s and still today distinguishes our core collection. By choosing the HESTRA product line, you are opting for flooring that is suitable for indoor and outdoor use. Temperature deviations of between -30 and +70 degrees Celsius are guaranteed to defy hestra design click tiles without any deformations occurring, even in larger installations. The click tiles in the HESTRA product line are suitable for countless applications because they are UV-resistant and non-flammable. The guaranteed load-bearing capacity is 110 t/m². Easy to install, complete and maintain.

There are many application areas: on the balcony, in the garden, in a swimming pool area, on a damp basement floor or in the garage. The floor tile will fit well both indoor and outdoor and is the best and most decorative solution for any problem floor areas in your home.

Available as accessories: Corner and end strips for a smooth transition to the sub-floor.







Colour Range HESTRA

Snow White -07

Glacier Grey -26

Elegance -01


Iron Ore -06

Emerald Green -32

Racing Red -03



Assortment HESTRA















Qualities	
Easy assemblage	•
Draining	•
Temperature sustainable in large	•
installations	
UV stabile	•
Indoor enviroment	•
Outdoor enviroment	•
Easy to maintain	•
Ergonomic	•
Sound absorbing	•
10 year function warranty	•

Accessories	
End strip	•
Corner strip	•
Marking strip	
Cable strip	
Boltset for Garage installation	•
De-mounting tool	•

Suggestions of possible use			
Domestic	Public		
Terrace	Gym		
Balcony	Store		
Hobby room •	Office		
Wash room •	Stairwell		
Garage	Storage		
Storage	Workshop		
Basement	Workbench		
Shower	Stock		
Playhouse	Department Store		
Marquee	Exhibition		
Greenhouse	Display		
Camping tent	Merchandising •		
Pool area •	Boatdeck		
Boat	Depot •		
Sauna	Event		

















Technical information			
Floor tiles			
Measurement	300 x 300 x 12 mm		
Weight/ tile	248 gram		
Amount per pack	$11 \text{ pcs} = 1 \text{ m}^2$		
Handles even load	110 ton/m ²		
End strip			
Measurement	300 x 55 x 12 mm		
Amount per pack	5 pcs = 150 cm		
Corner strip			
Measurement	355 x 55 x 12 mm		
Amount per pack	2 pcs = 71 cm		
Marking strip			
Measurement	-		
Amount per pack	-		
Cable strip			
Measurement	-		
Amount per pack	-		
Material			
Recyclable polypropylene plastic (PP),			

approved by REACH directions. Colour approved by REACH directions with UV-stabilizer for a long-lasting outdoor use. Tolerance of most chemicals.

Packaging

Recyclable carton.





Multifunctional Flooring

With soft tread comfort and our subtle pattern, Hestra design click tiles in the UNIVERSA product line are particularly suitable for all situations exposed to continuous heavy usage. The structure of the floor tile will drain away moist from the surface and enables the sub-floor to breathe and dry. The pattern is quite neutral, so it will never appear dominant neither in rooms nor on a veranda.

When installed, the UNIVERSA design click tiles look very much like a homogeneous floor covering. It's also very easy to adapt the tiles to the form of your room by cutting along the pattern with a fine saw or knife.

As an accessory, you can add end and corner strips for smooth transition to the sub-floor. You can also add marking or cable strips which are perfectly made for hiding electrical wiring for the perfect use in the public sector.







Colour Range UNIVERSA




Glacier Grey -26



Iron Ore -06

Emerald Green -32

Peacock Blue -24



Assortment UNIVERSA

Floor tile (11 pieces/pack =1 m²)	End strip (single)	End strip (2 pieces/pack)	End strip (5 pieces/pack)	Corner strip (single)	Corner strip (2 pieces/pack)
		P. C.	, s		
Avaliable in colour range UNI	IVERSA - replace XX with cold	ur code			
6112-1550-XX	6205-1560-XX	6214-0002-XX	6214-0005-XX	6220-1560-XX	6234-0002-XX

Marking strip (single)	Marking strip (5 pieces/pack)	Cable strip (single)	Cable strip (5 pieces/pack)
Avaliable in colour range UNI	VERSA - replace XX with cold	ur code	
6255-1580-XX	6260-0005-XX	6240-1570-XX	6250-0005-XX













Qualities	
Easy assemblage	•
Draining	•
Temperature sustainable in large	•
installations	
UV stabile	•
Indoor enviroment	•
Outdoor enviroment	•
Easy to maintain	•
Ergonomic	•
Sound absorbing	•
10 year function warranty	•

Accessories	
End strip	•
Corner strip	•
Marking strip	
Cable strip	
Boltset for Garage installation	•
De-mounting tool	•

Suggestions of possible use	
Domestic	Public
Terrace	Gym
Balcony	Store
Hobby room •	Office
Wash room •	Stairwell
Garage	Storage
Storage	Workshop
Basement	Workbench
Shower	Stock
Playhouse	Department Store •
Marquee	Exhibition
Greenhouse	Display
Camping tent	Merchandising •
Pool area	Boatdeck
Boat	Depot
Sauna	Event



















Measurement 300 x 300 x 12 mm

248 gram

 $11 \text{ pcs} = 1 \text{ m}^2$

110 ton/m²

Technical information

Amount per pack

Handles even load

Weight/ tile

Floor tiles

End strip

Corner strip Measurement 355 x 55 x 12 mm Amount per pack 2 pcs = 71 cmMarking strip

Measurement 355 x 75 x 12 mm Amount per pack 5 pcs = 150 cm

Cable strip Measurement 355 x 75 x 12mm Amount per pack 5 pcs = 150 cm

Material

Recyclable polypropylene plastic (PP), approved by REACH directions. Colour approved by REACH directions with UVstabilizer for a long-lasting outdoor use. Tolerance of most chemicals.

Packaging

Recyclable carton.





A new shape of floor tiles

Hestra design click tiles in the WOODLOOK collection are not trying to replace wooden flooring – but rather we are presenting a wear-free alternative that impresses with its low maintenance requirements, easier installation and soft tread comfort. Let your imagination run wild and create your own favourite pattern.

They can be installed both indoors and outdoors within a temperature range of between -30 and +70 degrees Celsius and are fully UV-resistant.

Available as accessories: Corner and end strips for a smooth transition to the subfloor.



Colour Range WOODLOOK



Iron Ore -06



Dark Oak -38




Elegance -01



Mahogany -48



Assortment WOODLOOK















Qualities	
Easy assemblage	•
Draining	•
Temperature sustainable in large	
installations	
UV stabile	•
Indoor enviroment	•
Outdoor enviroment	•
Easy to maintain	•
Ergonomic	•
Sound absorbing	•
10 year function warranty	•


Accessories	
End strip	•
Corner strip	•
Marking strip	
Cable strip	
Boltset for Garage installation	
De-mounting tool	

Suggestions of possible use	•
Domestic	
Terrace	•
Balcony	•
Hobby room	•
Wash room	•
Garage	
Storage	•
Basement	•
Shower	•
Playhouse	•
Marquee	
Greenhouse	•
Camping tent	
Pool area	•
Boat	•
Sauna	•

Public	
Gym	
Store	
Office	
Stairwell	
Storage	
Workshop	
Workbench	
Stock	
Department Store	
Exhibition	•
Display	•
Merchandising	•
Boatdeck	
Depot	
Event	•









Technical information

Amount per pack

Amount per pack

Amount per pack

Handles even load

Weight/ tile

Measurement 300 x 300 x 12 mm

Measurement 300 x 55 x 12 mm Amount per pack 5 pcs = 150 cm

Measurement 355 x 55 x 12 mm

Measurement 355 x 75 x 12 mm

Measurement 355 x 75 x 12mm Amount per pack 5 pcs = 150 cm

248 gram

 $11 \text{ pcs} = 1 \text{ m}^2$

110 ton/m²

2 pcs = 71 cm

5 pcs = 150 cm

Floor tiles

End strip

Corner strip

Marking strip

Cable strip

Material

















Maintainance Clean flooring - quick and cheap

Never before has it been as easy and cheap to maintain flooring. Hestra design click tiles can be cleaned quickly and efficiently with a vacuum cleaner when the flooring is dry to remove all dust and sand through the spaces in the tiles.

If necessary, wipe the floor installation using water and simple cleaning agents. Avoid products containing thinners as they can affect the colour of Hestra design tiles.

A high-pressure cleaner or water hose can be used if the flooring has been installed on an impermeable surface. If necessary, the floor installation can be removed by taking out each floor tile one-by-one. Regardless of which cleaning method you select, Hestra design click tiles will always look fresh and clean!

It is also possible to clean the floor with a cleaning machine but not too much water should be used in these situations.

Installation and calculation

SUB-FLOOR

A hard and flat sub-floor is a prerequisite in order to ensure that the flooring is level. If the flooring is exposed to heavy loads, e.g. for transporting heavy objects, we request that you contact us so that we can give you the right advice: info@hestra-plattan.com

PREPARATIONS BEFORE THE INSTALL ATION

Remove all objects from the installation area and clean it thoroughly, no loose particles should be left on sub-floor.

INSTRUCTIONS FOR INSTALLING THE FLOORING

Thanks to the click system, our Hestra design click tiles are easy to install. You do not need any tools or experience to connect the tiles. You only need a saw with a fine tooth blade or a cutting tool used for laying wooden flooring to adjust the floor tiles to the size of the installation area.

A. Start the installation in a corner and always work from left to right. Place the floor tiles diagonally against the wall and lay the tiles so that the eyelets are visible on the right-hand side. Leave a 10 to 15 mm gap between the floor tiles and the wall and/or other objects. This gap is absolutely necessary and allows for thermal expansion, particularly when the flooring is exposed to varying temperatures, e.g. in outdoor use.

B. Then press the pins into the eyelets to connect the tiles.

C. Adjust Hestra design click tiles by using a saw with a fine tooth blade, e.g. a jigsaw or cutting tool. While sawing, we recommend that you turn the floor tiles over (underside facing upwards) so that you cut in a straight line. Make sure that the flooring/sub-floor is protected while you are sawing/cutting.

D. Finish off the flooring with end and corner strips if you wish; these are available as accessories. If you want to install Hestra design click tiles in a garage, we recommend that you use screws to firmly fix the first row of floor tiles to the sub-floor. This is necessary so that the floor installation does not move.







Calculation for floor tiles 30 x 30 cm

Length X cm / 30 = A tiles (always round up)

Width Y cm / 30 = B tiles (always round up)


 $A \times B = C$ tiles in total C / 11 pcs = Number of packages


Calculation of end strip 30 cm


Lenght X cm / 30 = A pcs (always round up)

Corner strips

(Calculate 1 for each corner)
These will replace one end strip each







Get help with simple calculations at www.hestra-plattan.com

